



PORTABLE BASKETBALL BACKSTOPS

GARED isn't the premiere manufacturer of portable basketball backstops by accident. Our tradition of quality and innovation began on the drafting tables of our engineering team over 40 years ago, and we haven't looked back since! From our industry changing invention of the Hydra-Goal in 1980, the first ever arena portable system, to our recent introduction of the popular GARED Pro S spring-balanced competition portable, GARED has been continually revolutionizing the portable basketball market. Today, we are proud to offer a full line of competition portable basketball systems, many of which can be seen in professional arenas and NCAA Division I, II & III schools across the U.S., as well as all over the globe. Or maybe you're just looking for a recreational portable for practice sessions or youth leagues? We've got you covered there too - GARED offers a huge assortment of systems for every type of facility and play level! Check out our handy Product Guide which helps you choose the model with the size, features, and price point suitable for your program, then add the options you want for a truly customized system! Then GET IN THE GAME WITH GARED!

GARED® PRO S: SPRING BALANCED COMPETITION PORTABLE

The **GARED® PRO S** is the finest engineered competition portable in the world utilizing the Gared® tension spring technology • The maintenance-free tension spring mechanism is designed for balanced and effortless lifting/lowering of the unit • The unique mechanism is concealed inside the base for safety and appearance • A superbly designed T-Shape extension arm made of fully welded, heavy wall rectangular tubing is patterned after our original Gared Pro H®, which is universally considered the most structurally stable competition portable • The T-Shape extension arm and heavy duty uprights eliminate the need for unsightly bridge supports, giving the fans a clear view of the court • Available in 8' and 10' 8" boom extensions for all levels of play and adjustable to 8', 9', and 10' heights, the Gared Pro S® comes equipped with an official size (42" x 72") shatter proof glass backboard, our original PRO-MOLD® backboard padding and a positive lock breakaway goal • The base is fully padded on three sides with vinyl covered 2" thick high density polyurethane foam • The front upright is similarly padded to a height of 7' with 5" thick foam • Meets NCAA, NAIA, NFHS and NBA main court specifications and is approved by FIBA for high level international competition • Boom pad and floor anchoring system are included with the unit • Shot clock supports are sold separately • Full weight with ballast 3000 lbs. (1361 .kgs) • **10-YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 5-YEAR LIMITED WARRANTY ON PRO-MOLD® PADS AND 4-YEAR ON BREAKAWAY GOAL.**

9618: GARED® PRO S WITH 10' 8" BOOM, 10' 8" (3.25 M) PORTABLE BASKETBALL BACKSTOP

9618WL: GARED® PRO S WITH 10' 8" BOOM & WHEEL LIFT OPTION, 10' 8" (3.25 M) PORTABLE BASKETBALL BACKSTOP.

9616: GARED® PRO S WITH 8' BOOM, 8' (2.45 M) PORTABLE BASKETBALL BACKSTOP

9616WL: GARED® PRO S WITH 8' BOOM & WHEEL LIFT OPTION, 8' (2.45 M) PORTABLE BASKETBALL BACKSTOP



FIBA (Fédération Internationale de Basketball) hereby declares, by means of certification, that **MODEL 9618 GARED PRO S PORTABLE BASKETBALL BACKSTOPS** fulfils the Competition Level 1 standards and **MODEL 9616 GARED PRO S PORTABLE BASKETBALL BACKSTOPS** fulfils the Competition Level 3 standards specified in the latest edition of the Equipment & Venue Approval Programme and **GARED** is therefore qualified as an **OFFICIAL TECHNICAL PARTNER.**



SPOTLIGHT INSTALLATIONS

ARKANSAS STATE UNIVERSITY - JONESBORO, AR
 BASKETBALL RINGLEADER AUSTRALIA - AUSTRALIA
 BLUEGRASS STALLIONS LLC - LEXINGTON, KY
 BRANDON UNIVERSITY HEALTHY LIVING CENTRE - BRANDON, MB CAN
 CALIFORNIA POLYTECHNIC STATE UNIVERSITY - SAN LUIS OBISPO, CA
 CAMP LINDERMERE - HENRYVILLE, PA
 CARL ALBERT STATE COLLEGE - POTEAU, OK
 CENTENNIAL HIGH SCHOOL - ROSWELL, GA
 FAITH CHAPEL CHRISTIAN CENTER - BIRMINGHAM, AL
 JEFF DAVIS HIGH SCHOOL - HAZELHURST, GA
 JOHN BROWN UNIVERSITY - SILOAM SPRINGS, AR
 LAKE COUNTRY CHRISTIAN SCHOOL - FORT WORTH, TX
 LAUREL MIDDLE SCHOOL - LAUREL, MS
 LINCOLN MEMORIAL UNIVERSITY - HARROGATE, TN
 LOUISIANA STATE UNIVERSITY - BATON ROUGE, LA
 OKALOOSA WALTON COMMUNITY COLLEGE - NICEVILLE, FL
 PANGBURN HIGH SCHOOL - PANGURN, AR
 ROBBINS FLOORING - CINCINNATI, OH
 SOUTHEAST MISSOURI STATE UNIVERSITY - CAPE GIRARDEAU, MO
 SOUTHERN ILLINOIS UNIVERSITY - EDWARDSVILLE, IL
 TEXAS STATE TECHNICAL COLLEGE - WACO, TX
 UNIVERSITY OF ARKANSAS - FAYETTEVILLE, AR
 UNIVERSITY OF TEXAS AT EL PASO - EL PASO, TX

GARED® PRO S FEATURES

BACKBOARD: Official size 42" x 72" shatter proof rectangular glass backboard (Model LXP4200) with a welded and reinforced steel frame. Half inch tempered glass with fired in target and border for maximum durability. LED perimeter lights, #2137, are sold separately.

GOAL: Models 3500 and 3500I Master, positive lock breakaway goals come standard with these units for the domestic and international markets respectively. Model 3500I Master meets all FIBA standards. Other breakaway goals are optional and available upon request.

PADDING: Durable Gared PRO-MOLD® backboard edge padding comes in a wide variety of colors. Standard color for system padding is royal blue; other standard colors are available at no additional cost. Custom logos for the front and side pads are available at an additional cost.

BALLAST: 1200 lbs. (544 kgs.) of ballast welded to and concealed in the base of the unit.

HEIGHT ADJUSTABLE: Unique telescoping brace allows for preset heights of 8', 9' and 10'. Custom heights are available upon request.

ADJUSTABLE FLOOR PADS: Two floor pads are encased in steel supports for added stability, and are controlled by a screw-type mechanism that raises the unit off the wheels and adjusts the unit to exactly 10' height.

FLOOR ANCHORING SYSTEM: Floor anchors and locator pins are included as standard. Specify floor type.

FINISH: The unit is powder-coated white. Other colors are available at additional cost.

SHOT CLOCK & CAMERA SUPPORTS: Available at a nominal cost. Specify shot clock type.

TRANSPORT & STORAGE: Folds easily for compact storage with double non-marking polyurethane casters for easy transport.



FIBA
EQUIPMENT
& VENUE

GARED PRO S FEATURES



9806 QUICK CONNECT™ MOUNTING PLATES

Allows for quick and easy installation and removal of backboard and goal. (Patent 7967705, 7794342)



QUICK BOARD PLUMBING ADJUSTMENT

Allows for quick, easy and accurate plumbing of the backboard for proper play.



SPRING ASSIST OPERATION

Spring design allows backstop to be easily lifted in under 10 seconds. Additional spring can be easily installed if shot clock is added.




SHIPPED WITH BALLAST SECURELY INCLUDED


GARED PRO S is shipped with ballast securely included within a welded basin located in back of portable unit's base.

9621: AUTOMATIC FRONT WHEEL LIFT SYSTEM

This optional system is designed to make the basic installation and set up of the **GARED® PRO S** effortless. It eliminates the need to adjust the leveling pads by automatically lifting the front wheels off the ground when the boom is raised to the play position and lower them when the boom is lowered to the folded or stored position. As the portable is raised, a cam operated mechanism raises the front wheels off the floor causing the boom to lock in the play position and the base to rest evenly on the supporting frame. Conversely, when the wheels are in the down position the portable can be moved around.



WHEELS IN UP POSITION



WHEELS IN DOWN POSITION



GARED PRO H



9806 QUICK CONNECT™ MOUNTING PLATES

Allows for quick and easy installation and removal of backboard and goal.
(Patent 7967705, 7794342)



QUICK BOARD PLUMBING ADJUSTMENT

Allows for quick, easy and accurate plumbing of the backboard for proper play.



ELECTRIC HYDRAULIC SYSTEM

Fully automatic system operates with a simple turn of a key, which is safely mounted under the base pad.



SHIPPED WITH BALLAST SECURELY INCLUDED

GARED PRO H is shipped with ballast securely included within a welded basin located in back of portable unit's base.





FIBA (Fédération Internationale de Basketball) hereby declares, by means of certification, that **MODEL 5018 GARED PRO H PORTABLE BASKETBALL BACKSTOPS** fulfils the Competition Level 1 standards and **MODEL 5016 GARED PRO H PORTABLE BASKETBALL BACKSTOPS** fulfils the Competition Level 3 standards specified in the latest edition of the Equipment & Venue Approval Programme and **GARED** is therefore qualified as an **OFFICIAL TECHNICAL PARTNER**.

GARED® PRO H

The **GARED® PRO H** is the flagship of the GARED® family of portable basketball backstops, and is by far the best competition basketball backstop in the industry • Uniquely engineered, it has been the portable of choice of many professional teams and colleges throughout the world • Tapered, laser cut, trapezoidal extension arm and mast provide ultimate backboard stability, meeting the most demanding requirements of professional competition play • The unit is raised and lowered with a state-of-art, electric-hydraulic system designed to be totally reliable and trouble free • Available in 8' and 10' 8" boom extensions, the GARED® PRO H comes equipped with an official size (42" x 72") shatter proof glass backboard, our original PRO-MOLD® backboard padding, and a positive lock breakaway goal • The base is fully padded on three sides with vinyl covered 2" thick high density polyurethane foam • The front upright is similarly padded to a height of 7' with 2" thick foam • Meets NCAA, NAIA, NFHS and NBA main court specifications and is approved by FIBA for high level international competition • Boom pad and floor anchoring system are included with the unit • Shot clock supports are sold separately • Full weight with ballast 3100 lbs. (1406 .kgs) • **10-YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 5-YEAR LIMITED WARRANTY ON PRO-MOLD® PADS AND 4-YEAR ON BREAKAWAY GOAL.**

5018: GARED® PRO H WITH 10' 8" BOOM,
10' 8" (3.25 M) PORTABLE BASKETBALL BACKSTOP

5016: GARED® PRO H WITH 8' BOOM,
10' (3.05 M) PORTABLE BASKETBALL BACKSTOP



GARED® PRO H FEATURES

BACKBOARD: Model LXP4200 - official size 42" x 72" shatter proof rectangular glass backboard with a welded and reinforced steel frame. Half inch tempered glass with fired in target and border for maximum durability. LED perimeter lights, #2137, are sold separately.

GOAL: Models 3500 and 3500I Master, positive lock breakaway goals come standard with these units for the domestic and international markets respectively. Model 3500I Master meets all FIBA standards. Other breakaway goals are optional and available upon request.

PADDING: Durable Gared PRO-MOLD® backboard edge padding comes in a wide variety of colors. Standard color for system padding is royal blue; other standard colors are available at no additional cost. Custom logos for the front and side pads are available at an additional cost.

BALLAST: 1000 lbs. (455 kgs.) of ballast welded to and concealed in the base of the unit.

ELECTRIC-HYDRAULIC SYSTEM: Simple to operate. Automatically controls folding and lifting of the unit with the turn of a key. Available for domestic and international power supply.

FLOOR ANCHORING SYSTEM: Floor anchors and locator pins are included as standard. Specify floor type.

FINISH: The unit is powder-coated white. Other colors are available at additional cost.

SHOT CLOCK & CAMERA SUPPORTS: Available at a nominal cost. Specify shot clock type.

TRANSPORT & STORAGE: Folds easily for compact storage with two 6" front and two 10" rear wide non-marking polyurethane casters for easy transport.

SPOTLIGHT INSTALLATIONS

BALL STATE UNIVERSITY - MUNCIE, IN
BANK OF AMERICA CENTER - BOISE, ID
BARNETT STADIUM - HOUSTON, TX
BOWLING GREEN HIGH SCHOOL - BOWLING GREEN, KY
CHINESE BASKETBALL ALLIANCE - TAIWAN, REPUBLIC OF CHINA
CHICAGO BULLS PRACTICE FACILITY - CHICAGO, IL
EDWARD JONES DOME - ST. LOUIS, MO
GORDON COLLEGE - WENHAM, CO
LOUISIANA SUPERDOME - NEW ORLEANS, LA
LOUISIANA STATE UNIVERSITY - BATON ROUGE, LA
LOYLOA MARYMOUNT UNIVERSITY - LOS ANGELES, CA
NATIONAL CAR RENTAL CENTER - FORT LAUDERDALE, FL
NORTH CAROLINA CENTRAL UNIVERSITY - DURHAM, NC
PARK CITY RACQUET CLUB - PARK CITY, UT
TENNESSEE TECH UNIVERSITY - COOKEVILLE, TN
TEXAS SOUTHERN UNIVERSITY - HOUSTON, TX
TRI-STATE UNIVERSITY - ANGOLA, IN
TRINIDAD HIGH SCHOOL - FINDLAY, CO
SUSQUEHANNA CENTER - BEL AIR, MD
UNIVERSITY OF EVANSVILLE - EVANSVILLE, IN
UNIVERSITY OF FINDLAY - FINDLAY, OH
VISUAL CONCEPTS ENTERTAINMENT - NOVATO, CA
WORLD HARVEST BIBLE COLLEGE - CANAL WINCHESTER, OH

HOOPMASTER®: MOST VERSATILE SPRING BALANCED PORTABLE BASKETBALL BACKSTOP SYSTEM

This state-of-art portable basketball system uses the Gared® tension spring technology for easy use and operation • The maintenance-free tension spring mechanism has been engineered for balanced and effortless lifting and lowering of the unit and the springs are concealed inside the base for safety and appearance • The Hoopmaster® is designed for main court play in university, high school and professional arenas • It is also ideal for all side court play and it is approved by FIBA for international competition • Available in 8' boom extensions for all levels of play and adjustable at 8', 9' and 10' heights, the Hoopmaster® comes with an official size (42" x 72") shatter proof glass backboard, our original PRO-MOLD® backboard padding, and a positive lock breakaway goal • The base is fully padded on three sides with vinyl covered high density polyurethane foam • The front is similarly padded to a height of 7'. Boom pad and anchoring system are included with the unit • Shot clock supports are sold separately • Full weight with ballast 2200 lbs. (998 .kgs) • **10-YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 5-YEAR LIMITED WARRANTY ON PRO-MOLD® PADS AND 4-YEAR ON BREAKAWAY GOAL.**

9408: GARED HOOPMASTER®8 WITH 8' BOOM, 8' (2.45 M) PORTABLE BASKETBALL BACKSTOP

9405: GARED HOOPMASTER®5 WITH 5' BOOM, 5' (1.5 M) PORTABLE BASKETBALL BACKSTOP



HOOPMASTER® FEATURES

BACKBOARD: Official size 42" x 72" tempered glass backboard with a welded reinforced powder-coated steel frame (Model LXP4200). Half inch tempered glass with fired in target and border for maximum durability. LED perimeter lights, #2137, are sold separately.

GOAL: Models 2500 Collegiate and 2500I Tournament, positive lock breakaway goals come standard with these units for the domestic and international markets, respectively. Model 2500I Tournament meets all FIBA standards. Other breakaway goals are optional and available upon request.

PADDING: Durable Gared PRO-MOLD® backboard edge padding comes in a wide variety of colors. Standard color for system padding is royal blue. Standard color for system padding is royal blue; other standard colors are available at no additional cost. Custom logos for the front and side pads are available at an additional cost.

BALLAST: 1000 lbs. (455 kgs.) of ballast welded to and concealed in the base of the unit.

HEIGHT ADJUSTABLE: Unique telescoping brace allows for preset heights of 8', 9' and 10'. Custom heights are available upon request.

ADJUSTABLE FLOOR PADS: Two floor pads are encased in steel supports for added stability, and are controlled by a screw-type mechanism that raises the unit off the wheels and adjusts the unit to exactly 10' height.

FLOOR ANCHORING SYSTEM: Floor anchors and locator pins are included as standard. Specify floor type.


FINISH: The unit is powder-coated white. Other colors are available at additional cost.

TRANSPORT & STORAGE: Folds easily for compact storage with single non-marking polyurethane casters for easy transport.



9806 QUICK CONNECT™ MOUNTING PLATES

Allows for quick and easy installation and removal of backboard and goal. (Patent 7967705, 7794342)



QUICK BOARD PLUMBING ADJUSTMENT

Allows for quick, easy and accurate plumbing of the backboard for proper play.





SPRING ASSIST OPERATION

Spring design allows backstop to be easily lifted in under 10 seconds. Additional spring can be easily installed if shot clock is added.



SHIPPED WITH BALLAST SECURELY INCLUDED

HOOPMASTER is shipped with ballast securely included within a welded basin located in back of portable unit's base.



SPRING ASSIST OPERATION

Spring design allows backstop to be easily lifted in under 10 seconds.



SHIPPED WITH BALLAST SECURELY INCLUDED

HOOPMASTER is shipped with ballast securely included within a welded basin located in back of portable unit's base.

GARED HOOPMASTER® LT: THE PORTABLE OF CHOICE FOR SIDE COURTS, OUTDOOR COMPETITION AND INTRAMURAL PLAY

The traditional style of the **GARED HOOPMASTER® LT**, offers more features and structural strengths than any similar size basketball portable backstop available on the market • A unique tension spring mechanism allows for effortless lifting and lowering of the unit • It is adjustable at 8', 9' and 10' heights, the Hoopmaster® LT comes with an official size (42" x 72") shatter proof glass backboard, our original PRO-MOLD® backboard padding, and a positive lock breakaway goal • The base is fully padded on three sides with vinyl covered high density polyurethane foam • An anchoring system is included with the unit • Full weight with ballast 1700 lbs. (771 .kgs) • **10-YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 10-YEAR LIMITED WARRANTY ON PRO-MOLD® PADS AND 4-YEAR ON BREAKAWAY GOAL.**

9305: GARED HOOPMASTER® LT WITH 5' BOOM, 5' 6" (1.68 M) PORTABLE BASKETBALL BACKSTOP

HOOPMASTER LT® FEATURES

BACKBOARD: Model BB72G50 official size 42" x 72" Available 1/2" tempered glass backboard with a welded reinforced powder-coated steel frame (BB72G50). Limited Lifetime Warranty on backboards. 60" glass and acrylic backboards are optional and available upon request.

GOAL: 2000+ Collegiate breakaway goal with glass backboard.

PADDING: Durable Gared PRO-MOLD® backboard edge padding comes in a wide variety of colors. Standard color for system padding is royal blue; other standard colors are available at no additional cost. Custom logos for the front and side pads are available at an additional cost.

BALLAST: 950 lbs. (432 kgs.) Ballast is welded and concealed in the base of the unit.

HEIGHT ADJUSTABLE: Unique telescoping brace allows for preset heights of 8', 9' and 10'.

FLOOR ANCHORING SYSTEM: Tie down anchor system include. Optional inground anchor can be purchased separately, please specify floor type.

FINISH: The unit is powder-coated white. Other colors are available at additional cost.

TRANSPORT & STORAGE: Folds easily for compact storage with single non-marking polyurethane casters for easy transport.

SPOTLIGHT INSTALLATIONS OF HOOPMASTER & HOOPMASTER LT

GARED HOOPMASTER INSTALLATIONS

ANDREWS HIGH SCHOOL - ANDREWS, TX
ASCENSION CHRISTIAN HIGH SCHOOL - GONZALES, LA
BARDSTOWN HIGH SCHOOL - BARDSTOWN, KY
CAMPBELLSVILLE UNIVERSITY - CAMPBELLSVILLE, KY
CAMP FRENCH WOODS FOR PERFORMING ARTS - HANCOCK, NY
EPISCOPAL HIGH SCHOOL - ALEXANDRIA, VA
FUNDAMENTAL SPORTS TRAINING INC. - WESTBURY, NY
FRANKLIN READINESS CENTER - FRANKLIN, IN
HILLSDALE UNITED BRETHERN CHURCH - HILLSDALE, MI
NORTH VALLEY BAPTIST CHURCH - SANTA CLARA, CA
PERFORMANCE CENTER - OKLAHOMA CITY, OK
RED STUDIOS HOLLYWOOD - LOS ANGELES, CA
SAINT ELIZABETH COLLEGE - MORRISTOWN, NJ
SILVER SPURS ARENA - KISSIMMEE, FL
STEPHENS COUNTY HIGH SCHOOL - TOCCOA, GA
TEXAS SOUTHERN UNIVERSITY - HOUSTON, TX

GARED HOOPMASTER LT INSTALLATIONS

ARCHIE R-V SCHOOL - ARCHIE, MO
COLEMAN COUNTRY DAY CAMP - FREEPORT, NY
EASTERN WASHINGTON UNIVERSITY - CHENEY, WA
FAITH ACADEMY - MOBILE, AL
FOREST HILLS ELEMENTARY SCHOOL - FLORENCE, AL
FORT WASHAKIE BOYS & GIRLS CLUB - FORT WASHAKIE, WY
INDIANA BASKETBALL ACADEMY - INDIANAPOLIS, IN
JAM ON IT - RENO, NV
SCHEU FAMILY YMCA OF UPLAND - UPLAND, CA



FIBA (Fédération Internationale de Basketball) hereby declares, by means of certification, that **GARED'S HOOPMASTER® 8 PORTABLE BASKETBALL BACKSTOPS** fulfills

the Competition Level III standards specified in the latest edition of the Equipment & Venue Approval Programme and **GARED** is therefore qualified as an **OFFICIAL TECHNICAL PARTNER.**

WHEN PURCHASING A GARED PORTABLE BASKETBALL BACKSTOP SYSTEM - CUSTOMERS HAVE AN OPPORTUNITY TO CUSTOMIZE AND UPGRADE THE PORTABLE BACKSTOP.

AVAILABLE UPGRADES & CUSTOMIZATIONS INCLUDE:

- **QUICK CONNECT™ SYSTEM**, Must be purchased with system
- **SHOT CLOCKS**, Must be purchased with system
- **WHEEL LIFT**, Must be purchased with system
- **LED PERIMETER LIGHTS**
- **CUSTOMIZED PORTABLE PADDING**
- **CUSTOMIZED BOOM LETTERING**
- **CAMERA MOUNTS**
- **BACKBOARD & BASKETBALL GOALS & MUCH MORE!**



STANDARD PORTABLE PAD COLORS, CUSTOM VINYL ALSO AVAILABLE



CUSTOM PORTABLE PADDING & BOOM LETTERING



4000+: GARED® 4000+ MDG (MULTI-DIRECTIONAL) BREAKAWAY GOAL, 5 YEAR LIMITED WARRANTY ON RIM, 4" X 5" HOLE SPACING, WEIGHT: 30 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP GUARANTEE



301 IRG

301 IRG: 42" X 72" PRO OUTERLIMIT™ ALUMINUM UNI-FRAMED GLASS BACKBOARD WITH CENTER STRUT UNCONDITIONAL LIFETIME WARRANTY, 5" X 4 1/2" HOLE SPACING, WEIGHT: 195 LBS, TRUCK, FREIGHT CLASS 85, 24 HOUR SHIP

PORTABLE BASKETBALL BACKSTOP SYSTEM UPGRADES



2137

Guaranteed to prevent a loss of time, **GARED'S PERIMETER LIGHTS AND LINE OF SHOT CLOCKS** will ensure when a team is closing in on a buzzer beater. Both are easily added to pre-existing systems and synchronize with most industry's scoreboard brands.

2137: PERMETER LED LIGHT KIT
1 YEAR LIMITED WARRANTY, WEIGHT: 115 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

Choose reliability and quality when you opt for one of our super bright **LED SHOT CLOCKS!** Rated for 100,000 hours of continual usage, our shot clocks require no maintenance and never any light bulbs to change. The cabinet is constructed of 22-gauge galvanized steel with a black powdercoat finish for lasting durability. Our clocks operate in synchronization off of an existing GARED basketball scoreboard cable controller, and can be used with all of the permanent basketball scoreboards that we offer. They can be easily programmed for any time between 0 and 99 seconds. All cable-controlled models include a keyboard controller, plug-in adapter (runs off of scoreboard controller), loud horn, and 100 feet of control cable per clock (permanent models only). **INDOOR USE ONLY.**

GS-200 - BASKETBALL SHOT CLOCKS
5 YEAR LIMITED WARRANTY, WEIGHT: 76 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP

GS-202 - BASKETBALL SHOT CLOCKS WITH GAME TIMER
5 YEAR LIMITED WARRANTY, WEIGHT: 76 LBS, GROUND COURIER SERVICE, 24 HOUR SHIP



GS-202

GS-200

Our new optional **QUICK CONNECT™ SYSTEM** includes our specially designed backboard and goal Quick Connect™ Mounting Plates and Cart • The **QUICK CONNECT™ SYSTEM** allows the user to remove and install a backboard and goal in less than three minutes, a task that may typically take in excess of 30 minutes without it • It is a great tool for emergency and normal maintenance of portable basketball backstops because it reduces down time caused by the replacement of either a defective backboard or goal • Using the Quick Connect™ System to remove/install backboards and goals quickly and safely, multipurpose gymnasium operators can now store their basketball portable backstops in areas with narrow entry ways for a more effective use of the facilities. (PATENT 7967705, 7794342)

9800: QUICK CONNECT™ CART, 1 YEAR LIMITED WARRANTY
WEIGHT: 375 LBS, TRUCK, FREIGHT CLASS 150, 24 HOUR SHIP

9806: QUICK CONNECT™ MOUNTING PLATE FOR GARED® PRO S

9805: QUICK CONNECT™ MOUNTING PLATE FOR GARED® PRO H

9804: QUICK CONNECT™ MOUNTING PLATE FOR GARED® HOOPMASTER®

The Quick Connect™ mounting plates are factory installed and must be purchased with the portable units • The cart can be purchased at any time, but for best results we recommend that they are purchased together • One Quick Connect™ Cart can service multiple portable basketball backstops.



STEPS TO REMOVE AND REPLACE (RE-INSTALL) A BACKBOARD & GOAL USING THE GARED® QUICK CONNECT™ SYSTEM - THIS PROCESS TAKES APPROXIMATELY THREE MINUTES



1 LOWER AND SECURE PORTABLE BOOM TO REST POSITION

2 WHEEL QUICK CONNECT™ CART IN FRONT & UNDER BACKBOARD

3 RAISE BACKBOARD UNTIL IT SITS ON QUICK CONNECT™ CART

4 DISCONNECT UPPER BRACES FROM BACKBOARD

5 ROTATE BRACES OUT OF THE WAY



6 DISCONNECT & REMOVE HOLDING PINS FROM MOUNTING PLATES

7 RAISE CART UNTIL BACKBOARD COMES OFF HINGES



8 LEAN BACKBOARD FORWARD UNTIL IT SITS SECURELY ON CART

9 WHEEL CART TO STORAGE

TO INSTALL A BACKBOARD AND GOAL WITH THE GARED® QUICK CONNECT™ SYSTEM REVERSE STEPS 1-9.



9172

The **GARED HOOPMASTER® C72 AND R54** are versatile portable basketball backstops sporting competition quality glass backboard and breakaway rim combination • It is a perfect fit for facilities with court space limitations • Ideal play environment include school gymnasiums, churches, side court placement and for practice, club level and recreational league play • Sized to fit through standard double door for easy portability and storage • Spring assisted height mechanism to ease the play position of unit • Locator pin and anchoring pins available for ultimate stability.

9172: HOOPMASTER® C72, PORTABLE BASKETBALL BACKSTOP SYSTEM WITH 5' EXTENSION & 72" BACKBOARD, 10-YEAR LIMITED WARRANTY ON ALL PARTS, 2-YEAR LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 5-YEAR LIMITED WARRANTY ON PROMOLD® PADS AND 4-YEAR ON BREAKAWAY GOAL WEIGHT: 1555 LBS., DEDICATED TRUCK

9154: HOOPMASTER® R54, PORTABLE BASKETBALL BACKSTOP SYSTEM WITH 5' EXTENSION & 54" BACKBOARD, 10-YEAR LIMITED WARRANTY ON ALL PARTS, 2-YEAR LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, 5-YEAR LIMITED WARRANTY ON PROMOLD® PADS AND 4-YEAR ON BREAKAWAY GOAL WEIGHT: 1525 LBS., DEDICATED TRUCK

HOOPMASTER® C72 AND R54 FEATURES

BACKBOARD: MODEL 9172 features 42" x 72" glass backboard (Model: BB72G50); **MODEL 9154** features 42" x 54" glass backboard (Model: 3050) **GOAL:** 2000+ Collegiate breakaway goal with the glass backboard. **PADDING:** Durable Gared PRO-MOLD® recreational backboard edge padding comes in a wide variety of colors. Standard color for system padding is black **BALLAST:** 600 lbs. of ballast are welded and concealed in the base of the unit. **HEIGHT ADJUSTABLE:** Unique telescoping brace allows for preset heights of 8', 9' and 10'. **FINISH:** The unit is powder-coated white. Other colors are available at additional cost. **TRANSPORT & STORAGE:** Folds easily for compact storage with single non-marking polyurethane casters for easy transport. Two 4" front casters and one 3" rear-swivel caster, non-marking polyurethane wheels for optimal transport control

RECREATIONAL & SIDE COURT PORTABLE BACKSTOPS



9060

The **GARED SUPER-Z60 AND Z54** was designed for institutional as well as recreational play in schools, churches, training and fitness facilities • Its compact frame and large wheels make this portable backstop easy to roll around and store in area with limited space • Double folding extension arm for storage in tight spaces • Sized to fit through standard double door, for easy portability and storage • Spring assisted height mechanism to ease the play position of unit.

9060: GARED SUPER-Z60 BASKETBALL BACKSTOP SYSTEM WITH 60" BACKBOARD, 2-YEAR LIMITED WARRANTY ON ALL PARTS, 1 YEAR LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, AND 2-YEAR LIMITED ON BREAKAWAY GOAL. WEIGHT: 1008 LBS., DEDICATED TRUCK

9054: GARED SUPER-Z54 BASKETBALL BACKSTOP SYSTEM WITH 54" BACKBOARD, 2-YEAR LIMITED WARRANTY ON ALL PARTS, 1 YEAR LIMITED WARRANTY ON BACKBOARD INCLUDED WITH THE UNIT, AND 2-YEAR LIMITED ON BREAKAWAY GOAL. WEIGHT: 1008 LBS., DEDICATED TRUCK

SUPER-Z60 AND Z54 FEATURES

BACKBOARD: MODEL 9060 features 36" x 60" acrylic backboard (Model: GP6036); **MODEL 9054** features 36" x 54" acrylic backboard (Model: GP5432) **GOAL:** 1000 Scholastic flex breakaway goal. **PADDING:** Durable Gared PRO-MOLD® recreational black backboard edge padding. **BALLAST:** Ballast supplied by customer. **HEIGHT ADJUSTABLE:** Unique telescoping brace allows for preset heights of 8', 9' and 10'. **FINISH:** The unit is powder-coated white. Other colors are available at additional cost. **TRANSPORT & STORAGE:** Folds easily for compact storage with single non-marking polyurethane casters for easy transport. Two 4" front casters and one 3" rear-swivel caster, non-marking polyurethane wheels for optimal transport control.



MICRO-Z54



MICRO-Z



MICRO-Z54

The **MICRO-Z™** is the first of its kind and most popular roll-around Portable Backstop System for the past 10 years • This highly portable system rolls easily on four large casters and locks in place with the flip of a brake lever. • This high quality backstop is great for all ages and skill levels and priced for any budget • It is designed for side court and multipurpose recreational areas • Available with 54" backboard & breakaway or 48" backboard with fixed goal combination • This portable is not recommended for main court use or dunking activities.

MICRO-Z54™: ROLL-AROUND BASKETBALL BACKSTOP WITH BREAKAWAY GOAL & 54" ACRYLIC BACKBOARD 2 YEAR LIMITED WARRANTY, WEIGHT: 395 LBS. (180 KGS), TRUCK, FREIGHT CLASS 150, 24 HOUR SHIP

MICRO-Z™: ROLL-AROUND BASKETBALL BACKSTOP WITH FIXED RIM & 48" ACRYLIC BACKBOARD 2 YEAR LIMITED WARRANTY, WEIGHT: 385 LBS. (180 KGS), TRUCK, FREIGHT CLASS 150, 24 HOUR SHIP

BACKBOARD: MODEL MICRO-Z54 features 32" x 54" acrylic backboard (Model: GP5432); **MODEL MICRO-Z** features 48" x 32" rectangular acrylic backboard (Model: GP4832ISQ)

GOAL: MODEL MICRO-Z54 features 724 Breakaway goal. **MODEL MICRO-Z** features 26VVO standard stationary goal with nylon net. **PADDING:** Fully padded with high density polyurethane foam covered with non-tearing 14 oz. black vinyl. Backboard padding not included. **BALLAST:** 250 lbs. (114 Kgs.) of ballast required and concealed in the base of the unit. Ballast weight is not Included. **HEIGHT ADJUSTABLE:** Spring assisted unit adjusts from 7' juniors' to 10' regulation heights

ROLL AROUND & RECREATIONAL PORTABLES

GARED HOOPS 21™: THE PROVEN 3-ON-3 TOURNAMENT PORTABLE BACKSTOP

The **GARED HOOPS 21™** offers a computer designed, black powder-coated, unitized frame making it the strongest, most portable 3-on-3 basketball tournament system on the market • Designed for indoor/outdoor use, it is adjustable at 8', 9' and 10' heights • It is totally collapsible and folds easily into a flat, compact storage position that can be rolled away • This portable unit comes with a beefy fan shaped 54" X 39" fiberglass • A 2" thick high density polyurethane foam front pad covered with 18 oz. black vinyl is included for added player protection • A minimum of 300 lbs of ballast is required • Vinyl bags that can be filled with sand are included with the unit.

9249: HOOPS 21™: "3 ON 3" PORTABLE BASKETBALL BACKSTOP WITH 54" X 39" FAN SHAPED FIBERGLASS BACKBOARD. 1 YEAR LIMITED WARRANTY WEIGHT: 250LBS. (100KGS), TRUCK, FREIGHT CLASS 150, 24 HOUR SHIP

BACKBOARD: Model 1301B Fan Shape Fiberglass Board **GOAL:** Model 39VVO institutional fixed goal is standard with the unit. **PADDING:** Fully padded with 2" thick high density polyurethane foam covered with non-tearing 18 oz. black vinyl for added player protection. **BALLAST:** Vinyl bags that can be filled with sand come standard with its portable unit; 300 lbs of ballast recommended. **HEIGHT ADJUSTABLE:** The unit can be easily adjusted to 8', 9' and 10' heights. **FINISH:** Entire system powder-coated black. **TRANSPORT & STORAGE:** Folds completely into a compact storage position that can be easily lifted and rolled away.



MINI-EZ

The **MINI-EZ™** is designed to provide rugged durability for home, club or church use. This highly portable system rolls easily on four large casters and sets in place with the flip of a lever. It features heavy duty steel construction and direct mount goal design. It folds down to 48" W x 80 1/2" H x 62" L -including board & goal. This portable is not recommended for main court use or dunking activities.

MINI-EZ™: ROLL-AROUND BASKETBALL BACKSTOP, 2 YEAR LIMITED WARRANTY, WEIGHT: 290 LBS. (148 KGS), TRUCK, FREIGHT CLASS 150, 24 HOUR SHIP

BACKBOARD: GP4832ISQ 48" x 32" rectangular acrylic backboard with 3/8" thickness affixed to a superior 1" welded aluminum uni-frame. **GOAL:** 26VVO standard stationary goal with nylon net. **PADDING:** Fully padded with high density polyurethane foam covered with non-tearing 18 oz. black vinyl. **BALLAST:** 250 lbs. (114 Kgs.) of ballast required and concealed in the base of the unit. Ballast weight is not Included. **HEIGHT ADJUSTABLE:** Spring assisted unit adjusts from 7' juniors' to 10' regulation heights



9249 HOOPS 21

Minimize tournament installation time while maximizing court and shipping space with **GARED'S SPACE JAM™ TRAVELLING TOURNAMENT BASKETBALL SYSTEM**, GARED has been revolutionizing basketball equipment for almost 100 years • Our best innovations are developed from providing play and facility solutions to our customers • We were challenged to create a travelling system that met the criteria of: Stability to withstand monster dunks; Ability to set up multiple courts without creating sleeves on inside court or outdoor asphalt; Transportability of all systems in one truck; Easy and quick set-up by 3-men crews • Durable 6" x 6" steel posts are hinged to the weighted base and steadily raised to play position with an electric hoist • Each 6" x 6" square black post features stabilization poles that are adjusted to minimize vibration • GARED's acrylic backboard and breakaway rim are easily attached using our patented Quick Connect system • A 53" foot hauling truck can easily transport 30 complete courts • Each base features forklift slots for system loading.



9252: SPACE JAM™ TRAVELLING BASKETBALL SYSTEM, DUAL POST
WEIGHT: 1323 LBS, TRUCK, FREIGHT CLASS 150, 2-4 WEEK SHIP


9251: SPACE JAM™ TRAVELLING BASKETBALL SYSTEM, SINGLE POST
WEIGHT: 776 LBS, TRUCK, FREIGHT CLASS 150, 2-4 WEEK SHIP

9256: SPACE JAM™ TRAVELLING BASKETBALL SYSTEM KICKSTAND INSTALL TOOL
WEIGHT: 34 LBS, TRUCK, FREIGHT CLASS 70, 2-4 WEEK SHIP

9254: SPACE JAM™ TRAVELLING BASKETBALL SYSTEM BASE
WEIGHT: 320 LBS, TRUCK, FREIGHT CLASS 70, 2-4 WEEK SHIP

9257: SPACE JAM™ TRAVELLING BASKETBALL SYSTEM ELECTRIC HOIST
WEIGHT: 30 LBS, TRUCK, FREIGHT CLASS 70, 2-4 WEEK SHIP

9251




SPACE JAM™ PORTABLE BASE

Fork lift slots allow for easy transport. Added ballast removes need for sleeves or floor pins.



EASY BASE POST HINGE POINT

Allows for easy securing of the Space Jam™ post to weighted floor base.



KICKSTAND INSTALL TOOL

Provides stability while attaching 5' extension arm, backboard and goal.



ELECTRIC HOIST WITH REMOTE

Safely and effortlessly raise the Space Jam™ units into play position.



QUICK CONNECT™ MOUNTING PLATE

Allows for quick and easy installation and removal of backboard and goal. (Patent 7967705, 7794342)

SPACE JAM™ TRAVELLING TOURNAMENT BACKSTOP

SPACE JAM™ FEATURES

BACKBOARD: Features 42" x 72" acrylic backboard (Model: BB72A38)

GOAL: 2000+ Collegiate flex breakaway goal.

PADDING: Durable Gared PRO-MOLD® recreation backboard edge padding in black. Standard color for system padding is black; other standard colors are available at no additional cost. Custom logos for the front are available at an additional cost.

BALLAST: Ballast supplied by customer.





HEIGHT: Unit height set at 10'.

FINISH: The unit is powder-coated black. Other colors are available at additional cost.

TRANSPORT & STORAGE: Units are easily transportable by forklift.




9252




ANCHOR STYLE	STYLE B	STYLE BX	STYLE C	STYLE E
	<p>Style B anchors are used on wood floors when one layer of wood is directly on concrete.</p> <p>Style B anchors are also used on portable wood basketball floors such as arena floors that are 3" or more thick for anchoring Gared portable units.</p>	<p>Style BX anchors are used on wood floor when the floor is over a subfloor directly on concrete.</p>	<p>Style C anchors are used of concrete floors or synthetic floors.</p>	<p>Style E anchors are used on permanent style floating floors.</p> <p>Style E is not recommended for portable floating floors such as arena floors because of the permanent location of the anchor. However, if requested by the customer, the style E could be used on portable arena floors.</p>

PLAYRX™ PORTABLE BASKETBALL BACKSTOP PRODUCT GUIDE											
PRODUCT NAME	GARED PRO S	GARED PRO H	HOOPMASTER 8/5	HOOPMASTER LT		HOOPMASTER C72	HOOPMASTER R54	SUPER-Z60	SUPER-Z54	MICRO-Z	MINI-EZ
MODEL #	9618/9616	5018/5016	9408/9405	9305		9172	9154	9060	9054	MICRO-Z54/MICROZ	MINIEZ
OPERATING SYSTEM	Spring Loaded	Electric Hydraulic	Spring Loaded	Spring Loaded		Spring Loaded	Spring Loaded	Spring Loaded	Spring Loaded	Spring Loaded	Spring Loaded
PLAY QUALIFICATIONS	NBA, NCAA, FIBA, NFHS, NAIA	NBA, NCAA, FIBA, NFHS, NAIA	NBA, NCAA, FIBA, NFHS, NAIA	NFHS		NFHS	K-12	K-12	K-12	K-12	K-12
SAFEPLAY AREA											
BOOM LENGTH	BOOM LENGTH					BOOM LENGTH					
10' - 0"	10' 8"/8' 0"	10' 8"/8' 0"	8' 0"/5' 0"	5' 6"		5'-0"	5'-0"	6'-0"	6'-0"	4'-2"	4'-2"
9' - 0"	7' 4"/4' 8"		4' 2-1/2"/1' 2-1/4"	2'-1 1/4"		1'-8"	1'-8"	3'-1"	3'-1"	3'-10"	3'-10"
8' - 0"	6' 3"/3' 5"		2'-11" (9408 Only)	10 3/4"		0'-5"	0'-5"	2'-1"	2'-1"	3'-5"	3'-5"
COLOR	White Powdercoat Std. (Other Colors Available)	White Powdercoat Std. (Other Colors Available)	White Powdercoat Std. (Other Colors Available)	White Powdercoat Std. (Other Colors Available)		White Powdercoat	White Powdercoat	White Powdercoat	White Powdercoat	White Powdercoat	White Powdercoat
PLAY WEIGHT (LBS)	3000 Lbs	3100 Lbs	2200 Lbs	1700 Lbs		1555	1525	1008	1000	395/385	290
BALLAST (MIN LBS)	Factory Supplied 1200	Factory Supplied 1000	Factory Supplied 1000	Factory Supplied 950		Factory Supplied 600	Factory Supplied 600	Customer Supplied 500 (Brick)	Customer Supplied 500 (Brick)	Customer Supplied 300 (Brick)	Customer Supplied 300 (Brick)
BASE DIMENSIONS (LENGTH X WIDTH)	6' 4-3/4" x 4' 0"	6' 2-1/2" x 3' 9"	6' 4-3/4" x 4' 1/4"	6' 7" x 4' 1-3/8"		66' 1/2" X 40' 3/8"	66' 1/2" X 40' 3/8"	52' 3/4" X 31'	52' 3/4" X 31'	49' 3/4" X 32' 1/2"	49' 3/4" X 32' 1/2"
STORAGE DIMENSIONS (LENGTH X HEIGHT)	17'-8-7/8" (9618/9618W) 15'-7/8" (9616/9616W)	13' 4" (5018/5018W) 12' 4-1/4" (5016/5016W)	14'-3-5/8" (9408) 12'-0" (9405)	11' 6" x 6' 4"		10' 1" X 6' 6"	10' 1" X 6' 6"	9' 10" X 4' 5"	9' 10" X 4' 5"	7' 4" X 4' 6"	7' 4" X 4' 6"
MINIMUM PLAY HEIGHT	8'-0"	8'-0"	8'-0"	8'-0"		7' 6"	7' 6"	6' 6"	6' 6"	6' 6"	6' 6"
MINIMUM DISTANCE BEHIND END LINE											
10' PLAY POSITION (DIM C)	12'-11 1/2"/10' 3-1/2"	12'-10 1/2" (5018) 10'-2 1/2" (5016)	10' 4-3/4" (9408) 7' 4-3/4" (9405)	8' 1"		6'-7"	6'-7"	6'-5"	6'-5"		
STORAGE POSITION (DIM D)	17' 6" (9618) 14' 10" (9616)	19' 1" (5018) 16' 5" (5016)	15' 3" (9408) 12' 3" (9405)	11' 9"		10' 3"	10' 3"	8' 10"	8' 10"		
BACKBOARD	Glass 42" X 72"	Glass 42" X 72"	Glass 42" X 72"	Glass 42" X 72"		Glass 42" X 72"	Glass 42" X 54"	Acrylic 36" X 60"	Acrylic 32" X 54"	Acrylic 32" X 54" (MZ54) Acrylic 32" X 48" (MZ)	Acrylic 32" X 48"
BACKBOARD MODEL	LXP4200	LXP4200	LXP4200	BB72G50		BB72G50	3050	GP6036	GP5432	GP5432	GP4832ISQ
GOAL/RIM	Breakaway	Breakaway	Breakaway	Breakaway		Breakaway	Breakaway	Breakaway	Breakaway	Breakaway (MZ54) Fixed (MZ)	Fixed
GOAL/RIM MODEL	3500/3500I	3500/3500I	2500/2500I	2000+		2000+	2000+	1000	1000	724 (MZ54) 26WO (MZ)	26WO
ANCHOR SYSTEM	In-Ground Anchors With Locator Pins	In-Ground Anchors With Locator Pins	Floor Pad System	Optional		Optional	Optional	N/A	N/A	N/A	N/A
FLOOR LOAD											
TRAVEL FRONT CASTER	160	176	176	119		80	77	286	286	71	58
TRAVEL REAR CASTER	163	225	265	239		169	168	167	167	82	68
PLAY FRONT LEVELING PAD	89	105	62	57		76	71	76	76	20	17
PLAY REAR CASTER	72	65	62	98		105	109	117	117	26	21
WARRANTIES & ACCESSORIES											
BACKSTOP	10 Year Limited	10 Year Limited	10 Year Limited	10 Year Limited		10 Year Limited	10 Year Limited	2 Year Limited	2 Year Limited	2 Year Limited	2 Year Limited
BACKBOARD	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited		Lifetime Limited	Lifetime Limited	1 Year Limited	1 Year Limited	1 Year Limited	1 Year Limited
PRO-MOLD(R) PAD	5 Year Limited	5 Year Limited	5 Year Limited	5 Year Limited		5 Year Limited	N/A	N/A	N/A	N/A	N/A
GOAL/RIM	4 Year Limited	4 Year Limited	4 Year Limited	4 Year Limited		4 Year Limited	4 Year Limited	2 Year Limited	2 Year Limited	1 Year Limited	1 Year Limited
WHEEL LIFT OPTION	Yes	No	No	No		No	No	No	No	No	No
QUICK CONNECT OPTION	Yes	Yes	Yes	No		No	No	No	No	No	No
ACCESSORIES	Shot Clocks, Led Lights, Graphics, Camera Mounts	Shot Clocks, Led Lights, Graphics, Camera Mounts	Shot Clocks, Led Lights, Graphics, Camera Mounts	Led Lights, Graphics		Led Lights, Graphics	Graphics	N/A	N/A	N/A	N/A
PRICE	\$\$\$\$	\$\$\$\$\$	\$\$\$	\$\$		\$\$	\$\$	\$	\$	\$	\$
IDEAL PLAY ENVIRONMENT	Professional Arena Division I & II Collegiate Facility	Professional Arena Division I & II Collegiate Facility	Division II & III Facility High School Facility Practice Facility Recreation Center	Division II & III Facility High School Facility Practice Facility Recreation Center		Division II & III Facility High School Facility Practice Facility Recreation Center	K-12 Facility Recreation Center Outdoor Court				


GARED PRO S FOOTPRINT & STORAGE DIMENSIONS




GARED HOOPMASTER FOOTPRINT & STORAGE DIMENSIONS



GARED PRO H FOOTPRINT & STORAGE DIMENSIONS




GARED HOOPMASTER LT FOOTPRINT & STORAGE DIMENSIONS




GARED HOOPMASTER C72/R54 FOOTPRINT & STORAGE DIMENSIONS

PLAYING HEIGHT	DIM	HOOPMASTER REC	
		C72, 9172	R54, 9154
10' (3.05M)	A	5'-0" (1.52M)	5'-0" (1.52M)
	B	10'-6 1/2" (3.21M)	10'-6 1/2" (3.21M)
	C	6'-6 1/2" (1.99M)	6'-6 1/2" (1.99M)
9' (2.74M)	A	1'-7 5/8" (.50M)	1'-7 5/8" (.50M)
	B	7'-2" (2.19M)	7'-2" (2.19M)
	C	7'-2" (2.19M)	7'-2" (2.19M)
8' (2.44M)	A	0'-5 3/8" (0.14M)	0'-5 3/8" (0.14M)
	B	5'-11 5/8" (1.82M)	5'-11 5/8" (1.82M)
	C	1'-11 5/8" (0.60M)	1'-11 5/8" (0.60M)
STORAGE	D	10'-1 1/8" (3.08M)	10'-1 1/8" (3.08M)




GARED SUPER-Z 60/54 FOOTPRINT & STORAGE DIMENSIONS

PLAYING HEIGHT	DIM	SUPER-Z	
		9060	9054
10' (3.05M)	A	6'-0" (1.82M)	6'-0" (1.82M)
	B	10'-4 3/4" (3.17M)	10'-4 3/4" (3.17M)
	C	6'-4 3/4" (1.95M)	6'-4 3/4" (1.95M)
9' (2.74M)	A	3'-0 5/8" (0.93M)	3'-0 5/8" (0.93M)
	B	7'-5 1/4" (2.27M)	7'-5 1/4" (2.27M)
	C	3'-5 1/4" (1.05M)	3'-5 1/4" (1.05M)
8' (2.44M)	A	2'-0 7/8" (0.63M)	2'-0 7/8" (0.63M)
	B	6'-5 1/2" (1.97M)	6'-5 1/2" (1.97M)
	C	2'-5 1/2" (0.75M)	2'-5 1/2" (0.75M)
7'-6" (2.29M)	A	1'-9 1/8" (0.54M)	1'-9 1/8" (0.54M)
	B	6'-1 3/4" (1.87M)	6'-1 3/4" (1.87M)
	C	2'-1 3/4" (0.65M)	2'-1 3/4" (0.65M)
STORAGE	D	9'-9 7/8" (3.00M)	9'-9 7/8" (3.00M)



MICRO-Z/Z54 AND MINI-EZ FOOTPRINT & STORAGE DIMENSIONS


PLAYING HEIGHT	MICRO-Z EXTENSIONS	
	Z54	Z
10' (3.05M)	4'-2" (1.27M)	4'-2" (1.27M)
9' (2.74M)	3'-10" (1.17M)	3'-10" (1.17M)
8' (2.44M)	3'-5" (1.04M)	3'-5" (1.04M)
6'-6" (1.98M)	2'-11" (0.89M)	2'-11" (0.89M)



PLAYING HEIGHT	MINI EZ EXTENSIONS
10' (3.05M)	2'-8" (0.81M)
9' (2.74M)	2'-4" (0.71M)
8' (2.44M)	1'-11" (0.58M)
6'-6" (1.98M)	1'-5" (0.43M)

HOOPS 21 FOOTPRINT & STORAGE DIMENSIONS

PLAYING HEIGHT	DIM	HOOPS 21	
		9249	9250
10' (3.05M)	A	8'-8 1/4" (2.65M)	8'-8 1/4" (2.65M)
	B	1'-9 1/2" (.55M)	1'-9 1/2" (.55M)
9' (2.74M)	A	9'-0 3/4" (2.76M)	9'-0 3/4" (2.76M)
	B	2'-1 3/4" (.65M)	2'-1 3/4" (.65M)
8' (2.44M)	A	8'-11" (2.72M)	8'-11" (2.72M)
	B	2'-0 1/4" (.62M)	2'-0 1/4" (.62M)
STORAGE	D	9'-6 1/4" (2.90M)	9'-6 1/4" (2.90M)



WHY BUY GARED?

ALWAYS INNOVATING!

GARED's revolutionary QUICK CONNECT™ SYSTEM reduces game downtime by allowing replacement of backboard and rim in less than 3 minutes!

NEW PRODUCTS!

We've expanded our portable line to include backstops for ANY budget and level of play!

MORE CUSTOMIZATION OPTIONS!

Make your backstop unique to your facility by adding team graphics and lettering, shot clocks, LED lights, and camera mounts – the possibilities are endless!

CONVENIENT PLAYRX™ PORTABLE BACKSTOP PRODUCT GUIDE!

Check out our PlayRX™ Portable Product Guide to quickly compare the features and pricing of our systems to find the one that's right for your facility!

CONTACT GARED:

SALES HEADQUARTERS, CALL CENTER & MARKETING:
707 NORTH 2ND, SUITE 220, ST. LOUIS, MISSOURI 63102 USA

SALES, ENGINEERING & SHIPPING:
9200 EAST 146TH, NOBLESVILLE, INDIANA 46060 USA

TELEPHONE: (314) 421-0044 FAX: (314) 421-6014
EMAIL: CUSTOMERSERVICE@GAREDSPORTS.COM
WEBSITE: WWW.GAREDSPORTS.COM



GARED SELLS THROUGH AN APPROVED DEALER NETWORK.



GARED

Gared Holdings Company



TWITTER: @GAREDSPORTS



FACEBOOK: WWW.FACEBOOK.COM/GAREDI922

WWW.GAREDSPORTS.COM